

# Georgian

*Traditional Cast-Iron Radiators*

**RADIATOR PLUS**

**Designed to impress...  
Built to last.**

**For style with elegance,  
providing luxurious heating,  
now and for the future.**

**Traditional Cast-Iron  
Radiators from**

**Discover our stunning range of Classical Marble  
Flooring and Wall Cladding in a selection of  
colours and sizes now available.**

**Exclusive from**

**RADIATOR PLUS**

4 Renmore Business Complex, Kilcoole Ind. Est., Kilcoole, Co. Wicklow, Ireland

Telephone: 00353 (1) 287 8077

Fax: 00353 (1) 287 8093

Website: [www.radiatorplus.ie](http://www.radiatorplus.ie)

e-mail: [info@radiatorplus.ie](mailto:info@radiatorplus.ie)

# Georgian

*Traditional Cast-Iron Radiators*



**Georgian Traditional Cast Iron Radiators** combine period charm as well as a gentle exceptional radiant heat, unique to cast iron radiators.

**The Georgian Cast Iron Radiators** offer the opportunity to recreate the style and elegance of yesteryear to home and period style properties with reliable high efficiency space heating.

**The Georgian Cast Iron Radiators** come in a variety of sizes, heights and lengths to satisfy the heat requirements of the most demanding applications. The radiators are supplied in a light grey foundry primer finish as standard. As per our price list.

## **Optional Extras**

- Powder-coated paint finish available upon request.

## **Colours available**

- Antique Gold • Antique Rose Gold • Antique Silver
- Antique Copper • Pewter Grey • Pewter Silver

A wide selection of plain colours also available:

Gloss Black • Ivory • White • Red • Green



**Each radiator is supplied with a full set of G.B. plugs, reducers, gaskets and air vents.**

**A full selection of accessories are available including traditional brass radiator valves, thermostatic radiator valves, cast iron support feet and wall retaining stays.**

**Radiator Plus are available to provide a free heat loss calculation and radiator selection service in consultation with their clients.**



# Georgian

## Traditional Cast-Iron Radiators

Each Georgian Cast Iron Radiator comes with a 10 year guarantee against manufacturing defects. The heat capacity is given according to water temperature of 80°C and room temperature of 20°C. All heat outputs are in accordance with EN442 European standard.

Model	Columns	Height	Height Standard Foot	Height Claw Foot	Depth	Width	Heating Surface M2	Water Content (L)	Weight (Kg)	Output Watts	Output BTU/HR
GP2/350	2	448	513	523	70	60	0.09	0.42	2.7	55	187
GP2/500	2	598	663	673	70	60	0.12	0.50	3.5	68	234
GP2/900	2	898	963	973	70	60	0.205	0.72	5.5	111	381
G4/450	4	448	513	523	144	60	0.15	0.70	4.5	85	290
G4/600	4	598	663	673	144	60	0.21	0.88	5.6	119	409
G4/750	4	748	813	823	144	60	0.26	1.00	7.1	151	516
G4/900	4	898	963	973	144	60	0.32	1.14	8.0	179	611
G6/450	6	448	513	523	221	60	0.23	1.00	6.6	123	421
G6/600	6	598	663	673	221	60	0.32	1.20	8.1	173	590

### Model GP2



### 2 Columns

### Model G4



### 4 Columns

### Model G6



### 6 Columns

Model	GP2/350	GP2/500	GP2/900	G4/450	G4/600	G4/750	G4/900	G6/450	G6/600	No. of Feet	No. of Wall Stays	
Length (mm)*	No. of Sections	Watts	Watts	Watts	Watts	Watts	Watts	Watts	Watts			
240	4	220	272	444	2340	476	604	716	492	692	2	1
300	5	275	340	555	425	595	755	895	615	865	2	1
360	6	330	408	666	510	714	906	1074	738	1038	2	2
420	7	385	476	777	595	839	1057	1253	861	1211	2	2
480	8	440	544	888	680	952	1208	1432	984	1384	2	2
540	9	495	612	999	765	1071	1359	1611	1107	1557	2	2
600	10	550	680	1110	850	1190	1510	1790	1230	1730	2	2
660	11	605	748	1221	935	1309	1661	1969	1353	1903	2	2
720	12	660	816	1332	1020	1428	1812	2148	1476	2076	2	2
780	13	715	884	1443	1105	1547	1963	2327	1599	2249	3	2
840	14	770	952	1554	1190	1666	2114	2506	1722	2422	3	2
900	15	825	1020	1665	1256	1785	2265	2665	1845	2595	3	2
960	16	880	1088	1776	1360	1904	2416	2864	1968	2768	3	2
1020	17	935	1156	1887	1445	2023	2567	3043	2091	2941	4	3
1080	18	990	1224	1998	1530	2142	2718	3222	2214	3114	4	2
1140	19	1045	1292	2109	1615	2261	2869	3401	2337	3287	4	2
1200	20	1100	1360	2220	1700	2380	3020	3580	2460	3460	4	2
1800	30	1650	2040	3330	2550	3570	4530	5370	3690	5190	5	3
2400	40	2200	2720	4440	3400	4760	6040	7160	4920	6920	5	3

\*All Length Measurements are nominal

**Claw Cast-Iron Foot  
Model CL1**

**Standard Cast Iron Foot  
Model FS1**



**GB Reducer 1/2" and 3/4"**

**3/8" Brass Air Vent**

**GB Plug**



**Solid Brass Plain Traditional Valves**

**Model No. TV2**



**Solid Brass Patterned Dante Valves**

**Model No. DV2**



Valves are available in 1/2", 3/4" and 1" BSP and are finished in burnished brass.

**RADIATOR PLUS**

4 Renmore Business Complex, Kilcoole Ind. Est., Kilcoole, Co. Wicklow, Ireland

Telephone: 00353 (1) 287 8077

Fax: 00353 (1) 287 8093

Website: [www.radiatorplus.ie](http://www.radiatorplus.ie)

e-mail: [info@radiatorplus.ie](mailto:info@radiatorplus.ie)

Due to constant improvement on products we reserve the right to alter specifications at any time without prior notice.  
All rights reserved.